

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	41	(US-20050132081-\$ or US-20030041199-\$ or US-20020009075-\$ or US-20050129040-\$ or US-20050097226-\$ or US-20030056047-\$ or US-20040047308-\$ or US-20030066016-\$ or US-20020101871-\$ or US-20040083400-\$ or US-20030084214-\$ or US-20040236875-\$ or US-20030021228-\$ or US-20020049874-\$ or US-20060069792-\$ or US-20040230666-\$). did. or (US-6070189-\$ or US-5404452-\$ or US-5261099-\$ or US-6993613-\$ or US-6105107-\$ or US-6397316-\$ or US-6721799-\$ or US-6647440-\$ or US-6466581-\$ or US-6222846-\$ or US-6988156-\$ or US-6868466-\$ or US-6256677-\$ or US-6038607-\$ or US-6188703-\$ or US-7236494-\$ or US-6587438-\$ or US-6335933-\$ or US-5610595-\$ or US-6411620-\$ or US-5602841-\$ or US-6633968-\$ or US-7039012-\$ or US-7254616-\$ or US-6473426-\$).did.	US-PGPUB; USPAT	OR	ON	2008/12/05 15:14

L2	5	L1 and (namespac\$4 (nam\$4 adj2 spac \$4))	US-PGPUB; USPAT	OR	ON	2008/12/05 15:14
L3	3813	((track\$4 monitor\$4) with (transmi\$5 messag\$4 packet \$4)) and (buffer same interrup\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 15:31
L4	963	((track\$4 monitor\$4) with (transmi\$5 messag\$4 packet \$4)) and (buffer same (generat\$4 near4 interrup\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 15:31
L5	25	((track\$4 monitor\$4) with (transmi\$5 messag\$4 packet\$4 datagram)) and (((mov\$4 plac\$4) near5 (transmi\$5 messag\$4 packet datagram) near3 buffer) same (generat\$4 near4 interrup\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 15:31
L6	70	((track\$4 monitor\$4) with (transmi\$5 messag\$4 packet\$4 datagram)) and (((mov\$4 plac\$4) near5 (transmi\$5 messag\$4 packet datagram) near3 buffer) same (generat\$4 near4 interrup\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 15:31
L7	155	((track\$4 monitor\$4) with (transmi\$5 messag\$4 packet\$4 datagram)) and (((transfer\$4 mov\$4 plac\$4) near5 (transmi\$5 messag \$4 packet datagram) near3 buffer) same (generat\$4 near4 interrup\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 15:31

L8	1	"6070189".pn. and ((track\$4 monitor\$4) with (transmi\$5 messag\$4 packet \$4)) and (buffer same interrump\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 15:31
L9	28	(international near business).as. and ((track\$4 monitor\$4) with (transmi\$5 messag\$4 packet \$4)) and (buffer same (generat\$4 near4 interrump\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 15:31
L10	52	(international near business).as. and ((track\$4 monitor\$4) with (transmi\$5 messag\$4 packet \$4)) and (buffer same (generat\$4 near4 interrump\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 15:31
L11	2	(international near business).as. and ((track\$4 monitor\$4) with (transmi\$5 messag\$4 packet\$4 datagram)) and (((transfer\$4 mov\$4 plac\$4) near5 (transmi\$5 messag\$4 packet datagram) near3 buffer) same (generat\$4 near4 interrump\$4)) and (state variable counter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 15:31
L12	47	(international near business).as. and ((track\$4 monitor\$4) with (transmi\$5 messag\$4 packet \$4)) and (buffer same (generat\$4 near4 interrump\$4)) and (state variable counter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 15:31

L13	3	(chulho hanhong).in. and ((track\$4 monitor\$4) with (transmi\$5 messag \$4 packet\$4)) and (buffer same (generat\$4 near4 interrup\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 15:31
L14	16	"6070189"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 15:31
L15	201	(stat\$4 near5 (signal \$4 messag\$4 packet \$4 datagram)) and (((transfer\$4 mov\$4 plac\$4) near5 (transmi\$5 messag \$4 packet datagram) near3 buffer) same (generat\$4 near4 interrup\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 15:31
L16	26	("4918687"   "4995056"   "5036459"   "5105382"   "5307345"   "5375070"   "5410536"   "5412651"   "5418912"   "5666484"   "5737535"   "5781801").PN. OR ("6070189").URFN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/05 15:31
L19	18	L16 and buffer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 15:31
L20	58	(stat\$4 near5 (signal \$4 messag\$4 packet \$4 datagram)) and (((transfer\$4 mov\$4 plac\$4) near5 (transmi\$5 messag \$4 packet datagram) near3 buffer) with (generat\$4 near4 interrup\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 15:31

L21	72	(stat\$4 near5 (signal\$4 messag\$4 packet\$4 datagram)) and (((transfer\$4 mov\$4 plac\$4) near5 (transmi\$5 receiv\$4 messag\$4 packet datagram) near3 buffer) with (generat\$4 near4 interrup\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 15:31
L23	28	((multi\$4 plurality) near3 (packet datagram)) and ((counter stat\$4) near5 (receiv\$4 signal\$4 messag\$4 packet\$4 datagram)) and (((transfer\$4 mov\$4 plac\$4) near5 (transmi\$5 receiv\$4 messag\$4 packet datagram) near3 buffer) with (generat\$4 near4 interrup\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 15:31
L24	43	(stat\$4 near5 (signal\$4 messag\$4 packet\$4 datagram)) and (((transfer\$4 mov\$4 plac\$4) near5 (transmi\$5 receiv\$4 messag\$4 packet datagram) near3 buffer) with (generat\$4 near4 interrup\$4)) and ((mode stat\$4) near4 interrup\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 15:31
L25	73	(stat\$4 near5 (signal\$4 messag\$4 packet\$4 datagram)) and (((transfer\$4 mov\$4 plac\$4) near5 (transmi\$5 receiv\$4 recep\$5 messag\$4 packet datagram) near3 buffer) with (generat\$4 near4 interrup\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 15:31

L26	93	(stat\$4 near5 (signal \$4 messag\$4 packet \$4 datagram)) and (((transfer\$4 mov\$4 plac\$4) near5 (transmi\$5 receiv\$4 recep\$5 messag\$4 packet datagram) near3 (fifo buffer)) with (generat\$4 near4 interrup\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 15:31
L27	112	(stat\$4 near5 (signal \$4 messag\$4 packet \$4 datagram)) and (((transfer\$4 mov\$4 plac\$4) near5 (transmi\$5 receiv\$4 recept\$5 messag\$4 packet datagram) near5 (fifo buffer)) with (generat\$4 near4 interrup\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 15:31
L28	112	(stat\$4 near5 (signal \$4 messag\$4 packet \$4 datagram)) and (((transfer\$4 mov\$4 plac\$4) near5 (transmi\$5 receiv\$4 reception messag\$4 packet datagram) near5 (fifo buffer)) with (generat\$4 near4 interrup\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 15:31
L29	56	710/260-269.ccls. and (((packet datagram) near3 (group\$4 multi\$5 pluralit\$4)) same interrupt)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 15:31
L30	45	710/260-269.ccls. and (((packet datagram) near3 (group\$4 multi\$5 pluralit\$4)) with interrupt)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 15:31

L31	39	710/260-269.ccls. and (((packet datagram) near3 (group\$4 multi\$5 pluralit\$4)) same (receiv\$4 recept\$4) same interrupt))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 15:31
L34	104	((packet datagram) near3 (two more) with (receiv\$4 recept \$4) with interrupt))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 15:31
L35	20	((packet datagram) near3 two with (receiv\$4 recept\$4) with interrupt))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 15:31
L36	73	(international near business).as. and ((track\$4 monitor\$4) with (datagram frame transmi\$5 messag\$4 packet \$4)) and (buffer same (generat\$4 near4 interrump\$4)) and ((stat\$4 variable counter) with (datagram frame transmi\$5 messag\$4 packet\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 15:31
L37	52	(international near business).as. and ((track\$4 monitor\$4) with (transmi\$5 messag\$4 packet \$4)) and (buffer same (generat\$4 near4 interrump\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 15:31
L38	28	L36 not L37	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 15:31

L39	2	(international near business).as. and (buffer same (generat\$4 near4 interrup\$4)).clm. and ((stat\$4 variable counter) with (datagram frame transmi\$5 messag\$4 packet\$4)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 15:31
L40	0	((multi-packet multipacket multi-datagram) near5 interrup\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 15:31
L41	1	((multi-packet multipacket multi-datagram) with interrup\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 15:31
L42	29	((multi-packet multipacket multi-datagram (multi adj (packet datagram))) near5 (stat\$4 counter))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 15:31
L43	21	(US-20050132081-\$ or US-20030041199-\$ or US-20020009075-\$ or US-20050129040-\$ or US-20050097226-\$ or US-20030056047-\$).did. or (US-6070189-\$ or US-5404452-\$ or US-5261099-\$ or US-6993613-\$ or US-6105107-\$ or US-6397316-\$ or US-6721799-\$ or US-6647440-\$ or US-6466581-\$ or US-6222846-\$ or US-6988156-\$ or US-6868466-\$ or US-6256677-\$ or US-6038607-\$ or US-6188703-\$).did.	US-PGPUB; USPAT	OR	ON	2008/12/05 15:31



L44	21	L43 and (stat\$4 counter variable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 15:31
L45	124	(increment\$4 add increas\$4) with (stat\$4 counter variable value) with (packet frame datagram) with sender	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 15:31
L46	93	(increment\$4 add increas\$4) with (counter variable value) with (packet frame datagram) with sender	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 15:31
L47	71	(increment\$4 add increas\$4) with sequenc\$4 with (packet frame datagram) with sender	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 15:31
L48	21	(US-20050132081-\$ or US-20030041199-\$ or US-20020009075-\$ or US-20050129040-\$ or US-20050097226-\$ or US-20030056047-\$).did. or (US-6070189-\$ or US-5404452-\$ or US-5261099-\$ or US-6993613-\$ or US-6105107-\$ or US-6397316-\$ or US-6721799-\$ or US-6647440-\$ or US-6466581-\$ or US-6222846-\$ or US-6988156-\$ or US-6868466-\$ or US-6256677-\$ or US-6038607-\$ or US-6188703-\$).did.	US-PGPUB; USPAT	OR	ON	2008/12/05 15:31
L49	7	L48 and ("2" near3 packet)	US-PGPUB; USPAT	OR	ON	2008/12/05 15:31
L50	3	L48 and ("2" near3 packet) and ("3" near3 packet)	US-PGPUB; USPAT	OR	ON	2008/12/05 15:31

L51	723	track\$4 with (packet datagram frame) with messag\$4	US-PGPUB; USPAT	OR	ON	2008/12/05 15:31
L52	504	(track\$4 with (packet datagram frame) with messag\$4) and ((name spac\$4) namespac\$4)	US-PGPUB; USPAT	OR	ON	2008/12/05 15:31
L53	6	(track\$4 with (packet datagram frame) with messag\$4) and ((name adj spac\$4) namespac\$4)	US-PGPUB; USPAT	OR	ON	2008/12/05 15:31
L54	179	(track\$4 with (packet datagram frame)) and ((name adj spac\$4) namespac\$4)	US-PGPUB; USPAT	OR	ON	2008/12/05 15:31
L55	712	(increment\$4 with (stat\$4 variable value number count\$4) with (pluralit\$4 multi\$4 group\$4) near3 (packet frame datagram messag\$4 stream))	US-PGPUB; USPAT	OR	ON	2008/12/05 15:31
L56	394	((increment\$4 increas\$4) with (stat\$4 variable value number count\$4) with (pluralit\$4 multi\$4 group\$4) near3 (packet frame datagram messag\$4 stream)) and decrement\$4	US-PGPUB; USPAT	OR	ON	2008/12/05 15:31
L57	77	((increment\$4 increas\$4) with (stat\$4 variable value number count\$4) with (pluralit\$4 multi\$4 group\$4) near3 (packet frame datagram messag\$4 stream)) and (decrement\$4 near4 (end\$4 finish\$4 complet\$4))	US-PGPUB; USPAT	OR	ON	2008/12/05 15:31

L58	29	(US-20050132081-\$ or US-20030041199-\$ or US-20020009075-\$ or US-20050129040-\$ or US-20050097226-\$ or US-20030056047-\$ or US-20040047308-\$ or US-20030066016-\$ or US-20020101871-\$).did. or (US-6070189-\$ or US-5404452-\$ or US-5261099-\$ or US-6993613-\$ or US-6105107-\$ or US-6397316-\$ or US-6721799-\$ or US-6647440-\$ or US-6466581-\$ or US-6222846-\$ or US-6988156-\$ or US-6868466-\$ or US-6256677-\$ or US-6038607-\$ or US-6188703-\$ or US-7236494-\$ or US-6587438-\$ or US-6335933-\$ or US-5610595-\$ or US-6411620-\$).did.	US-PGPUB; USPAT	OR	ON	2008/12/05 15:31
L59	21	L58 and interrupt\$	US-PGPUB; USPAT	OR	ON	2008/12/05 15:31
L60	21	L58 and interrupt\$4 and (stat\$4 valu\$4 number variable count\$4)	US-PGPUB; USPAT	OR	ON	2008/12/05 15:31
L61	29	(US-20050132081-\$ or US-20030041199-\$ or US-20020009075-\$ or US-20050129040-\$ or US-20050097226-\$ or US-20030056047-\$ or US-20040047308-\$ or US-20030066016-\$ or US-20020101871-\$).did. or (US-6070189-\$ or US-5404452-\$ or US-	US-PGPUB; USPAT	OR	ON	2008/12/05 15:31

		5261099-\$ or US-6993613-\$ or US-6105107-\$ or US-6397316-\$ or US-6721799-\$ or US-6647440-\$ or US-6466581-\$ or US-6222846-\$ or US-6988156-\$ or US-6868466-\$ or US-6256677-\$ or US-6038607-\$ or US-6188703-\$ or US-7236494-\$ or US-6587438-\$ or US-6335933-\$ or US-5610595-\$ or US-6411620-\$).did.				
L62	29	L61 and (time second millisecond "ms")	US-PGPUB; USPAT	OR	ON	2008/12/05 15:31
L63	8	L61 and ((time second millisecond "ms") with "100")	US-PGPUB; USPAT	OR	ON	2008/12/05 15:31
L64	15	L61 and ((time second millisecond "ms") with interrupt \$4)	US-PGPUB; USPAT	OR	ON	2008/12/05 15:31
L65	16	L61 and ((period tim \$4 second millisecond "ms") with interrupt\$4)	US-PGPUB; USPAT	OR	ON	2008/12/05 15:31
L66	712	(increment\$4 with (stat\$4 variable value number count \$4) with (pluralit\$4 multi\$4 group\$4) near3 (packet frame datagram messag\$4 stream))	US-PGPUB; USPAT	OR	ON	2008/12/05 15:31
L67	6	L66 and ((period tim \$4 second millisecond "ms") with interrupt\$4 with (end\$4 exit\$4 stop \$4))	US-PGPUB; USPAT	OR	ON	2008/12/05 15:31

L68	59	"719"/\$.cds. and ((period tim\$4 second millisecond "ms") with interrupt \$4 with (end\$4 exit \$4 stop\$4))	US-PGPUB; USPAT	OR	ON	2008/12/05 15:31
L69	335	((period tim\$4 second millisecond "ms") with interrupt \$4 with (end\$4 exit \$4 stop\$4) with "100")	US-PGPUB; USPAT	OR	ON	2008/12/05 15:31
L70	89	((period tim\$4 second millisecond "ms") near2 "100" with interrupt\$4 with (end\$4 exit\$4 stop \$4))	US-PGPUB; USPAT	OR	ON	2008/12/05 15:31
L71	241	"718"/\$.cds. and ((period tim\$4 second millisecond "ms") with interrupt \$4 with (end\$4 exit \$4 stop\$4))	US-PGPUB; USPAT	OR	ON	2008/12/05 15:31
L72	29	"718"/\$.cds. and ((set setting) with (period tim\$4 second millisecond "ms") with interrupt \$4 with (end\$4 exit \$4 stop\$4))	US-PGPUB; USPAT	OR	ON	2008/12/05 15:31
L73	3868	((period tim\$4 millisecond "ms") near4 interrupt\$4 near4 (end\$4 exit\$4 stop\$4))	US-PGPUB; USPAT	OR	ON	2008/12/05 15:31
L74	268	((period interval tim \$4) near4 interrupt \$4 near4 (end\$4 exit \$4 stop\$4)) same (millisecond "ms")	US-PGPUB; USPAT	OR	ON	2008/12/05 15:31
L75	186	((period interval tim \$4) near4 interrupt near4 (end\$4 exit\$4 stop\$4)) same (millisecond "ms")	US-PGPUB; USPAT	OR	ON	2008/12/05 15:31

L76	60	((set setting predetermin\$4) with (period interval tim \$4) near4 interrupt \$4 near4 (end\$4 exit \$4 stop\$4)) same (millisecond "ms")	US-PGPUB; USPAT	OR	ON	2008/12/05 15:31
L77	350	"710"/\$.ccls. and ((period interval tim \$4 millisecond "ms") near5 interrupt\$4 near5 (end\$4 exit\$4 stop\$4))	US-PGPUB; USPAT	OR	ON	2008/12/05 15:31
L78	79	"710"/\$.ccls. and ((set setting predetermin\$4) with (period interval tim \$4 millisecond "ms") near5 interrupt\$4 near5 (end\$4 exit\$4 stop\$4))	US-PGPUB; USPAT	OR	ON	2008/12/05 15:31
L79	32	(US-20050132081-\$ or US-20030041199-\$ or US-20020009075-\$ or US-20050129040-\$ or US-20050097226-\$ or US-20030056047-\$ or US-20040047308-\$ or US-20030066016-\$ or US-20020101871-\$ or US-20040083400-\$). did. or (US-6070189-\$ or US-5404452-\$ or US-5261099-\$ or US-6993613-\$ or US-6105107-\$ or US-6397316-\$ or US-6721799-\$ or US-6647440-\$ or US-6466581-\$ or US-6222846-\$ or US-6988156-\$ or US-6868466-\$ or US-6256677-\$ or US-6038607-\$ or US-6188703-\$ or US-7236494-\$ or US-6587438-\$ or US-6335933-\$ or US-	US-PGPUB; USPAT	OR	ON	2008/12/05 15:31

		5610595-\$ or US-6411620-\$ or US-5602841-\$ or US-6633968-\$).did.				
L80	31	L79 and (period\$4 interval tim\$4 millisecond "ms")	US-PGPUB; USPAT	OR	ON	2008/12/05 15:31
L81	21	L79 and ((period\$4 interval tim\$4 millisecond "ms") same interrupt\$4)	US-PGPUB; USPAT	OR	ON	2008/12/05 15:31
L82	2475	((period\$4 interval tim\$4 millisecond "ms") with interrupt \$4 with (expiration expired expires))	US-PGPUB; USPAT	OR	ON	2008/12/05 15:31
L83	182	((("100" "10" "50") with (period\$4 interval tim\$4 millisecond "ms") with interrupt\$4 with (expiration expired expires))	US-PGPUB; USPAT	OR	ON	2008/12/05 15:31
L84	44	((("100" "50") near3 (period\$4 interval tim \$4 millisecond "ms") with interrupt\$4 with (expiration expired expires))	US-PGPUB; USPAT	OR	ON	2008/12/05 15:31
L85	86	(interval near2 interrupt\$4 with (expiration expired expires))	US-PGPUB; USPAT	OR	ON	2008/12/05 15:31
L86	768	((set setting) near2 time near2 interrupt \$4)	US-PGPUB; USPAT	OR	ON	2008/12/05 15:31
L87	204	((set setting) near2 (period interv\$5) near4 time near2 interrupt\$4)	US-PGPUB; USPAT	OR	ON	2008/12/05 15:31
L88	296	((set setting) near2 (period interv\$5) near4 tim\$4 near2 interrupt\$4)	US-PGPUB; USPAT	OR	ON	2008/12/05 15:31
L89	8	"718"/\$.cols. and ((set setting) near2 (period interv\$5) near4 tim\$4 near2 interrupt\$4)	US-PGPUB; USPAT	OR	ON	2008/12/05 15:31

L90	45	((packet frame messag\$4 cell) near3 processing) and ((set setting) near2 (period interv \$5) near4 tim\$4 near2 interrupt\$4)	US-PGPUB; USPAT	OR	ON	2008/12/05 15:31
L91	61	((packet frame messag\$4 cell) near3 process\$4) and ((set setting) near2 (period interv \$5) near4 tim\$4 near2 interrupt\$4)	US-PGPUB; USPAT	OR	ON	2008/12/05 15:31
L92	37	(US-20050132081-\$ or US-20030041199- \$ or US- 20020009075-\$ or US-20050129040-\$ or US-20050097226- \$ or US- 20030056047-\$ or US-20040047308-\$ or US-20030066016- \$ or US- 20020101871-\$ or US-20040083400-\$ or US-20030084214- \$ or US- 20040236875-\$ or US-20030021228-\$ or US-20020049874- \$).did. or (US- 6070189-\$ or US- 5404452-\$ or US- 5261099-\$ or US- 6993613-\$ or US- 6105107-\$ or US- 6397316-\$ or US- 6721799-\$ or US- 6647440-\$ or US- 6466581-\$ or US- 6222846-\$ or US- 6988156-\$ or US- 6868466-\$ or US- 6256677-\$ or US- 6038607-\$ or US- 6188703-\$ or US- 7236494-\$ or US- 6587438-\$ or US- 6335933-\$ or US- 5610595-\$ or US- 6411620-\$ or US-	US-PGPUB; USPAT	OR	ON	2008/12/05 15:31



		5602841-\$ or US-6633968-\$ or US-7039012-\$).did.				
L93	10	L92 and ((user client member subscriber node) with (name namespace\$4 id identifi\$4 identification address))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 15:31
L94	11	L92 and ((user sender transmitter client member subscriber node) with (name namespace\$4 id identifi\$4 identification address))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 15:31
L95	82	packet with namespace\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 15:32
L96	52	packet near5 namespace\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 15:32
L97	41	(US-20050132081-\$ or US-20030041199-\$ or US-20020009075-\$ or US-20050129040-\$ or US-20050097226-\$ or US-20030056047-\$ or US-20040047308-\$ or US-20030066016-\$ or US-20020101871-\$ or US-20040083400-\$ or US-20030084214-\$ or US-20040236875-\$ or US-20030021228-\$ or US-20020049874-\$ or US-20060069792-\$ or US-20040230666-\$). did. or (US-6070189-\$ or US-5404452-\$	US-PGPUB; USPAT	OR	ON	2008/12/05 15:32

		or US-5261099-\$ or US-6993613-\$ or US-6105107-\$ or US-6397316-\$ or US-6721799-\$ or US-6647440-\$ or US-6466581-\$ or US-6222846-\$ or US-6988156-\$ or US-6868466-\$ or US-6256677-\$ or US-6038607-\$ or US-6188703-\$ or US-7236494-\$ or US-6587438-\$ or US-6335933-\$ or US-5610595-\$ or US-6411620-\$ or US-5602841-\$ or US-6633968-\$ or US-7039012-\$ or US-7254616-\$ or US-6473426-\$.did.				
L98	6	L97 and ((buffer queue) with empty)	US-PGPUB; USPAT	OR	ON	2008/12/05 15:32
L99	41	(US-20050132081-\$ or US-20030041199-\$ or US-20020009075-\$ or US-20050129040-\$ or US-20050097226-\$ or US-20030056047-\$ or US-20040047308-\$ or US-20030066016-\$ or US-20020101871-\$ or US-20040083400-\$ or US-20030084214-\$ or US-20040236875-\$ or US-20030021228-\$ or US-20020049874-\$ or US-20060069792-\$ or US-20040230666-\$.did. or (US-6070189-\$ or US-5404452-\$ or US-5261099-\$ or US-6993613-\$ or US-6105107-\$ or US-6397316-\$ or US-6721799-\$ or US-	US-PGPUB; USPAT	OR	ON	2008/12/05 15:32

		6647440-\$ or US- 6466581-\$ or US- 6222846-\$ or US- 6988156-\$ or US- 6868466-\$ or US- 6256677-\$ or US- 6038607-\$ or US- 6188703-\$ or US- 7236494-\$ or US- 6587438-\$ or US- 6335933-\$ or US- 5610595-\$ or US- 6411620-\$ or US- 5602841-\$ or US- 6633968-\$ or US- 7039012-\$ or US- 7254616-\$ or US- 6473426-\$).did.				
L100	28	L1 and (increment\$4 decrement\$4)	US-PGPUB; USPAT	OR	ON	2008/12/05 15:32
L101	181	"709"/\$.cls. and (((packet datagram) near3 (group\$4 multi \$5 pluralit\$4)) same interrupt)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 15:40

12/ 5/ 08 3:41:44 PM

C:\Documents and Settings\DEngland\My Documents\EAST\Workspaces\10733725.wsp